

1920 मे महात्मा गांघी द्रारा स्थापित

ग्जरात विधीपीठ

Founded by Mahatma Gandhi in 1920
GUJARAT VIDYAPITH

Email : registrar@gujaratvidyapith.org

Fax : 079-27542547

Phone: 27540746, 27541148, 40016200

Ahmedabad - 380 009 (India)

REF/ /EST/2024-25

Date: 21/03/2024

## વિષયઃ- ભાવપત્રક ભરવા અંગે.

### ભાઈશ્રી,

ગૂજરાત વિદ્યાપીઠના નીચેના કામ માટે ભાવપત્રકો મંગાવવામાં આવે છે. ભાવપત્રક તા. ૨૩/૦૩/૨૦૨૪ થી તા. ૦૩/૦૪/૨૦૨૪ દરમ્યાન <u>www.gujaratvidyapith.ac.in</u> પરથી ડાઉનલોડ કરી શકાશે. ભરેલ ભાવપત્રકો "કુલસચિવશ્રી, મુખ્ય કાર્યાલય, ગૂજરાત વિદ્યાપીઠ, અમદાવાદ – ૦૯" ને કચેરી સમય દરમ્યાન રૂબરૂ અથવા RPAD દ્વારા તા. ૦૩/૦૪/૨૦૨૪ સાંજના ૦૦ કલાક સુધીમાં મોકલી આપવાનાં રહેશે.

ક્રમ	કામની વિગત	અંદાજની રકમ	ભાવપત્રક	અર્નેસ્ટમની	ભાવપત્રક	ભાવપત્રક
	તથા કામનું સ્થળ	(3.)	ફ્રી (રૂ.)	ડીપોઝીટ	મોકલવા	ખોલવાની
		Estimated	Tender Fee	(EMD)	માટેની સમય	અંદાજીત
		Amount (Rs.)	(Rs.)		મર્યાદા	તારીખ
01	Renovation and Refixing of sewer line at GV, Ahmedabad.	2,35,000/-	NIL	4,700/- in favor of "Registrar Gujarat Vidyapith"	03/04/2024 till 05.00PM	04/04/2024; 03.30PM at Central office, Gujarat Vidyapith, Ahmedabad - 380009

(ડૉ.નિખિલ ભક) કા.કુલસચિવ

# **Gujarat Vidyapith**

## Nr. Income Tax Office, Ashram Road, Ahmedabad-380009

Name of the work - Renovation and Refixing of sewer line at GV, Ahmedabad

### **Details of the Tenderer**

							1	1			T		
Name of													
the Tender													
													<u> </u>
				Т		1		Г	T.	T.	Т	T.	T
Firm type													
(Like Proprietor	ship/P	artner	ship/C	ompar	y/othe	r)							
A .1.1													
Address.													
Contact No:									1	1	T	1	T
Land line no.													
Fax no.													
Mobile no.													
Email Address							1		1	I		I	<u>I</u>
PAN No													
GST No						=							
* Please attach t	he cop	y of t	he PAl	N/GST	NO. V	Vith the	e tender						

Sr. No.	Name of Client	Name of Client Name of work	

#### **TENDER FORM**

To, The Registrar, Gujarat Vidyapith, Ahmedabad-380009.

Dear Sir,

I/We examined plan specification. Articles of agreement and condition of contract of bills of quantities along with schedule of rates & visited site. I/We hereby for the Renovation and Refixing of sewer line at GV, Ahmedabad.

I/We also agree that a deduction of 5% retention money will be made on or before final payment that may be due to my/us execution of the contract in accordance with rates quoted together with any variation authorized by the Architect/Estate Branch at rates based in the said bills. 5% Performance security deposit amount on ECV has to be deposited on place of work order.

I/We further agree to complete the said Renovation and Refixing of sewer line at GV, Ahmedabad From the said being handed over to me/us details of which is given in the appendix otherwise will have to pay penalty for delayed work.

In the event of this tender being accepted, I/We agree to enter into and execute the contract as well as Articles of Agreement issued by the Owners. I/We agree to be blacklisted in case of breach of the Contract.

Your faithfully, Contractor/s

#### NOTICE TO THE CONTRACTORS

(General Condition of Contractors)

Name of the work - Renovation and Refixing of sewer line at GV, Ahmedabad

The quantities mentioned in the bills are approximate & in no way binding to the Owners or Architect. The owner reserves rights to omit or add item specified in Tender. Extra item rate will be settled by the Architect/owners as per market rate. The owners also reserves the rights of extinction of the side projects and contractor should not claim for additional rate then specified in the Tender.

- 1. The work as actually carried out and executed by the contractors must be measured jointly with owners Engineers and will be paid for.
- 2. A 5% retention deduction will be made from final bill as prevention money for the due execution of work and completion of the contract. Refund shall be as per "Appendix".
- 3. Gujarat Vidyapith reserves the right to accept or not the lowest or any other tender and no reason will be assigned for the same.
- 4. It is compulsory to submit work in progress report twice a **week** to the owners otherwise claimed payment bills may be detained.
- 5. It is compulsory to submit purchase bill & delivery slip of the said of the claim of basic rate difference. Major difference only will be considered by negotiation with the owners & Architect.
- 6. Work not specifically detailed marked or specified shall be the same as similar parts that are detailed marked or specified in tender documents. The Architect's/ owner's Engineer interpretation of these document shall be final & without appeal. The general condition will apply with equal force to all the work including authorized extra works.
- 7. Materials of work described in words/abbreviation which so applied have a well Known technical or trade meaning shall be held to refer to such recognized standard.
- 11. The Architect/owners Engineers shall be in the first interpreter of the Conditions of this contract and The judge of its performance.
- 12. The contractor shall constantly keep on his project site during work in progress with one or more Qualified and competent Engineer civil technical supervisors.
- 13. The contractor shall add to the amount of his tender the amount of GST. Any other Tax legally payable And it shall be assumed that his rates cover all the taxes & duties and no claim on this amount will be Entertained.
- 14. The owner reserves the right to let other contractors in connection with his work. Under similar general Condition for specialized jobs or turn-key job work companies for his benefit.
- 15. If the Architect/owner deems it inexpedient to correct work, damaged or not done in accordance with The contract, an equitable deduction from the contract price shall be made therefore.
- 16. All the materials and workmanship shall be subject to inspection, examination by the Architect/ Owner and material yeasting by recognized laboratory at any times during manufacture and/or Construction.
- 17. The contractor shall forthwith five written notice of the cause of delay to the Architect/owner. The Causes like force majeure, inclement weather, damage due to contingency, civil commotion, Workman's or transporters strike, lockout of manufacturers, change in plan & details not received in Time, any financial problems of the owner, any technical unsolved problem or any other circumstances Which the owner/Architect decide, may be consider for extension of time limit.
- 18. Any defects, shrinkage or other faults which shall appear within the "Defects Liability period" stated in Appendix & which are due to materials and workmanship not in accordance with tender documents Shall be deliver to the contractor within 14 days after expiry of Defect Liability period. And within a Reasonable time the defects, shrinkage, or any faults specified shall be made good by the contractor Entirely at his own cost.

- 19. The contractor shall be liable for and shall indemnify the owner against any liabilities, loss, claim or Proceedings whatsoever arising under any statute or at common law in respect of personal injury to or The death of any person whomsoever arising out of or in the course of or by carrying out the works, Unless due to any act or neglect of the owner or of any person for whom the owner is responsible. The Contractor shall maintain in the joint names or under the firm insurance in respect of any expense, Liability, loss, claim or proceedings which the owner may incur or sustain by reason of injury or damage To the property real or personal arising out of or in the course of or by any reason of carrying out of Works, and abused otherwise than by the negligence, omission, or default of the contractor, his servants Or agents or his any sub-contractor or his persons. It is contractor's responsibility to pay the premiums Of all insurance policies required under the law.
- 20. All disputes and differences of any kind whatever arising out of or in connection with the contract of Carrying out of the works (whether during the progress of the work or after their completion and Whether before or after the determination, abandonment or breach of the contract) shall be revered to And settled by the Architect & the owner and their decision shall be final and without appeal. But if Either the owner or the contractor be dissatisfied with the decision shall be and is hereby refereed to The "Arbitrator" (being Fellow of India Institute of Architects or G.I.C.E.A) and his decision shall be Binding to all. No party can go to the court of Law directly.
- 21. For any ambiguity or clarity of "conditions of contract" (Tender documents) guidelines of P.W.D or C.P.W.D manuals shall be referred and shall be accepted by the contractor. All papers included in "Tender copy" shall be considered as Tender document.
- 22. One percent (1%) charge on total work amount will be deducted for electricity and water charges.

Sign of Contractor & Stamp

#### **APPENDIX**

Name of the work: Renovation and Refixing of sewer line at GV, Ahmedabad **Employers:** 1. Gujarat Vidyapith, Ahmedabad. 2. Defects liability period: 12 months 3. Period of final measurement & Valuation: 15 Days 4. Date of Commencement: Date of Completion: 5. 6. Agreed liquidated damages: Rs.5,000/-per week Values of work of Interim Certificate: 7. Rs. 8. **Estimated Cost of Project:** Rs. 9. Values of retention percentage: 5% (return after One year) 10. Limit of retention fund (5% of completion cost): Rs..... 11. Security deposit (5% of Tender cost): Rs..... 12. Return of Security Deposit: Completion of work 13. Return of Retention fund: Return after One year 14. Period of honoring certificate: 10 days 15. GST, Work contract, any taxes: To be borne by the Contractor. 16. Insurance coverage by Contractor: 1) Full Workmen's policy, 2) All Risk policy,

17. Earnest money deposit:

18. Period for completion of work:

60 days from work of order

**NIL** 

3) Third party policy,

& other as per Govt's Rules.

Sign of Contractor & Stamp

# **Gujarat Vidyapith**

## Nr. Income Tax Office, Ashram Road, Ahmedabad-380009

Name Of Work: - Renovation and Refixing of sewer line at GV, Ahmedabad.

item No.	Description of Items	Quantity	Rate	Unit	Amount
1	Dismantling C.I. /PVC pipes G.S.W.pipes abd A.C. rain water pipes with fittings and clamps including stacking the materials with all lead.	210.00		Rmt	
2	Dismantling Plaster including stacking the materials with all lead.	298.75		Smt	
3	Providing. & laying cement concrete 1:2:4 (1cement: 2corse sand: 4 hand broken stone aggregate 40 mm nominal size) PCC and curing complete excluding cost of form work in (A) Foundation and plinth.	1.62		Cmt	
4	Brickwork using common burnt clay building bricks having crushing strength not less than 35 kg/sq.cm in foundation and plinth in Cement Mortar 1:6 (1-Cement : 6 -fine sand)(B) Conventional "	1.15		Cmt	
5	Half brick masonry in common burnt clay-building bricks having crushing strength not less than 35kg/cm2 in cement mortar1:4 (1cement:4coarses-and) in Above Plinth Level (B)Conventional.	6.00		Smt	
6	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc. consisting of following operations: a) Applying a slurry coat of neat cement using 2.75 kg/sq.m of cement admixed with water proofing compound conforming to IS. 2645 and approved by Engi-	7.74		Smt	

neer-in-charge over the RCC slab including adjoining walls up to 300mm height including cleaning the surface before treatment. b) Laying brick bats with mortar using broken bricks/brick bats 25 mm to 115 mm size with 50% of cement mortar 1:5 (1 cement : 5 coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-in-charge over 20 mm thick layer of cement mortar of mix 1:5 (1 cement: 5 coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-in-charge to required slope and treating similarly the adjoining walls up to 300 mm height including rounding of junctions of walls and slabs c) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/sq.m of cement admixed joint less cement mortar of mix 1:4 (1 cement :4 coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-in-charge including laying glass fibre cloth of approved quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineering-Charge: (The work shall be carried out through approved specialised agency and shall carry ten years performance guarantee. (Plan area should be measured. No extra payment shall be made for gola, vatas, khurras, water spouts

	edges etc.) With average thickness of 120 mm and minimum thickness at khurra as 65 mm. Rate includes for all lead & lift & as per directed by EIC.			
7	Providing 15 mm. thick cement plaster in single coat on wall plastering up to floor two level finished even and smooth in [II] Cement mortar 1:4 (1 cement : 4 fine sand) For all levels, heights and leads of works. Etc. complete as directed by EIC.	298.75	Smt	
8	Providing and laying coloured glazed tiles of the size 300 mm x 200 mm x 8 mm / 300 mm x 450 mm x 8 mm in skirting, risers of steps and dedo on 10 mm thick cement plaster 1:3 (1. cement : 3 coarse sand) & jointed with white cement.	16.56	Smt	
9	Dismantling sanitary fittings like wash basin, W.C. pan Indian and European type, flushing tank, etc. including stacking the materials with all lead and lift.	4.00	Nos	
10	Providing laying and jointing in true line and level P.V.C. Pipe (6 Kg. F/CM2) for including fittings make PRINCE / SUPREME / ASTRAL / FINOLEX or equivalent as approved by Engineer solvent, including cost of all material for external plumbing			
	75 mm	117	Rmt	
11	Providing and fixing Orissa pan tub with integral P or S trap including jointing the trap with soil pipe in cement mortar 1:1 (1 cement;1 fine sand)) (A) Vitreous china.	4.00	Nos	
12	Providing and fixing PVC SWR Nahni trap IS 14735 for drain -100 mm dia with jali of the following nominal dia. Of self-cleaning design with ci screw down or hinged grating	1.00	Nos	

	incl. cost of cutting and making goods			
13	Brickwork using common burnt clay building bricks having crushing strength not less than 35 kg/sq.cm in foundation and plinth in Cement Mortar 1:6 (1-Cement : 6 -fine sand)(B) Conventional ".	3.78	Cmt	
14	Providing & fixing S.W. Gully trap with C.I. grating brick masonry chamber & water tight C.I. Cover with frame of 300x300 mm size (inside) with standard weight. Square mouth trap 100mm x 100mm size Ptype.	13.00	Nos	
	TOTAL			

Total Amount (in word	$_{i}).$
Iotal Amount (in word	›/·

Sign of Contractor & Stamp